L Number	Hits	Search Text	DB	Time stamp	
1		725/9-21.ccls.	USPAT;	2003/01/29	13:27
1	311	120/3 22100201	EPO; JPO;	,,,	
			DERWENT;		
			IBM_TDB		
2	35999	((classifi\$4 or group\$3 or cluster\$3) same	USPAT;	2003/01/29	13:52
		(profile\$1 or demograph\$5 or preference\$3	EPO; JPO;		
		or model\$1)) and (@ad<=19980514 or	DERWENT;		
		@rlad<=19980514)	IBM_TDB	0000/01/00	
3	34	725/9-21.ccls. and (((classifi\$4 or	USPAT;	2003/01/29	13:51
		<pre>group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3 or model\$1))</pre>	EPO; JPO; DERWENT;		
		and (@ad<=19980514 or @rlad<=19980514))	IBM TDB		
4	732	705/7,10.ccls.	USPAT;	2003/01/29	13:51
1			EPO; JPO;		
	İ		DERWENT;		
			IBM_TDB		
5	133	705/7,10.ccls. and ((classifi\$4 or group\$3	USPAT;	2003/01/29	13:53
		or cluster\$3) same (profile\$1 or	EPO; JPO;		
		demograph\$5 or preference\$3 or model\$1))	DERWENT;	•	
	11617	and (@ad<=19980514 or @rlad<=19980514)	IBM_TDB	2002/08/09	00.52
-	11617	((epg or ipg) or (program or schedule or menu) near2 (quide or listing or menu))	USPAT; US-PGPUB;	2002/08/09	03:32
		menu, hearz (gurue or riscring or menu))	EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	1388	(725/11, 13, 16, 34-36, 39, 45, 46, 49, 56, 68, 85, 10		12002108/22	20:37
	ļ		US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	175	(11/2000 200 2000) 200 (2000) 200 (2000)	IBM_TDB	2002/02/01	10.51
-	175	1 1 1 2 2 2 2	USPAT;	2002/02/21	10:51
1		menu) near2 (guide or listing or menu))) and	US-PGPUB; EPO; JPO;		
		((725/11,13,16,34-36,39,45,46,49,56,68,85,1		51).ccls)	
		and (retriev\$5 or 'pull out')	IBM TDB	[
-	143	(((epg or ipg) or (program or schedule or	USPAT;	2002/02/21	11:04
		menu) near2 (guide or listing or menu)))	US-PGPUB;		
		and	EPO; JPO;		
		((725/11,13,16,34-36,39,45,46,49,56,68,85,1		51).ccls.)	
	114	and (retriev\$5 or 'pull out') and	IBM_TDB	2002/02/21	11.05
_	114	(f@gpgter\$3pgf emt@p\$0gram or schedule or menu) near2 (guide or listing or menu)))	USPAT; US-PGPUB;	2002/02/21	11:02
		and	EPO; JPO;		
		((725/11,13,16,34-36,39,45,46,49,56,68,85,1		51).ccls.)	
-		and ((retriev\$5 or 'pull out') near5	IBM TDB	''	
-	34830	(ġmfopmatmen(genderaoorppofflee)randuster	USPAT;	2002/08/09	10:17
		¢reggeter\$3e⊗roentèi\$3)stage' or factor))	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	3007	725/6 2212	IBM_TDB	2002/02/01	12.42
-	3807	725/\$.ccls.	USPAT; US-PGPUB;	2002/02/21	13:43
1			EPO; JPO;		
1			DERWENT;		
			IBM TDB		
-	109		USPAT;	2002/02/21	13:43
	,	or age or sex or 'life stage' or factor)))	US-PGPUB;	1	
	,	and 725/\$.ccls.	EPO; JPO;		
1			DERWENT;		
			IBM_TDB	000010010	40
-	70998	retriev\$5 and (register\$ or enter)	USPAT;	2002/02/21	13:46
			US-PGPUB;		
			EPO; JPO;	}	
			DERWENT; IBM TDB		
_	54	(((group same (gender or profile or	USPAT;	2002/02/21	16:22
		cluster or age or sex or 'life stage' or	US-PGPUB;	2002/02/21	10.22
	1	factor))) and 725/\$.ccls.) and (retriev\$5	EPO; JPO;		
	1	and (register\$ or enter))	DERWENT;	1	
	<u> </u>		IBM TDB	L	
·				J	

-	243	((user or viewer) near5 (profile\$1 or demograph\$4))same (CATV or TV or television)	USPAT; US-PGPUB; EPO; JPO;	2002/02/21 18:01
			DERWENT; IBM_TDB	
-	19	((725/13,35,46).ccls.) and (((user or viewer) near5 (profile\$1 or demograph\$4))same (CATV or TV or	USPAT; US-PGPUB; EPO; JPO;	2002/02/21 18:01
	1273	television)) ((user or viewer) near5 (profile\$1 or	DERWENT; IBM_TDB USPAT;	2002/02/21 18:02
-	1273	demograph\$4))same (computer\$1)	US-PGPUB; EPO; JPO; DERWENT;	2002/02/21 10:02
-	13	((725/13,35,46).ccls.) and (((user or viewer) near5 (profile\$1 or demograph\$4))same (computer\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/02/21 18:02
			DERWENT; IBM_TDB	
_	117	(725/13,35,46).ccls.	USPAT; US-PGPUB; EPO; JPO;	2002/02/21 18:15
-	144118	takahashi.inv.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/02/21 19:02
			EPO; JPO; DERWENT; IBM TDB	:
-	62	takahashi.inv.and (725/\$ or 709/\$).ccls.	USPĀT; US-PGPUB; EPO; JPO;	2002/02/21 19:00
	4702		DERWENT; IBM_TDB	2002/02/21 19:03
	4702	takahashi.inv. and (retriev\$4 or register\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/02/21 19:03
-	8	<pre>(takahashi.inv. and (retriev\$4 or register\$4)) and (group same (age or sex or cluster))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/02/21 20:22
		of cluster,,	DERWENT; IBM TDB	
-	8	("5081688" or "5179649" or "5406384").pn.	USPAT; US-PGPUB; EPO; JPO;	2002/02/21 20:24
	0010	513. 44	DERWENT; IBM_TDB	0000 (00 (00 10 10
	8212	group same profile\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/02/22 12:46
_	272	(group same profile\$1) and (725/\$ or 709/\$ or 348/\$).ccls.	IBM_TDB USPAT; US-PGPUB;	2002/02/22 12:47
			EPO; JPO; DERWENT; IBM_TDB	
_	45	(group same profile\$1) and (725/\$).ccls.	USPAT; US-PGPUB; EPO; JPO;	2002/02/22 13:02
_	55	725/46.ccls.	DERWENT; IBM_TDB USPAT;	2002/02/22 13:02
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	

_	51	725/97.ccls.	USPAT; US-PGPUB; EPO; JPO;	2002/08/09 09:52
			DERWENT; IBM TDB	
-	43	725/97.ccls.and (@ad<=19980514 or @rlad<=19980514)and (max\$4 or minimum or level\$1 or least or most)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/28 11:28
_	99	((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1)) and 725/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/08/09 10:13
-	92	(((max $\$4$ or minimum or least or most)near2 (mode $\$1$ or button $\$1$)) and 725/ $\$$.ccls.) and (@ad<=19980514 or @rlad<=19980514)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/08/09 10:20
-	3	((group same (gender or profile or cluster or age or sex or 'life stage' or factor))) and ((((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1)) and 725/\$.ccls.) and (@ad<=19980514 or @rlad<=19980514))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 10:18
-	34		USPAT; EPO; JPO; DERWENT; IBM TDB	2002/08/09 10:23
_	44	725/97.ccls.and (@ad<=19980514 or @rlad<=19980514)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/08/22 20:20
_	141828	((group\$4 or cluster\$4) same (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 20:35
-	74394	(@ad<=19980514 or @rlad<=19980514) ((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 20:36
_	497	(@ad<=19980514 or @rlad<=19980514) (((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:54
_	76	725/\$.ccls. (((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and (725/32-36,13,45-46).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:09
-	24	(((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:52
-	14	(725/45-46).ccls. ("5550578" "5596705" "5600364" "5614940" "5640192" "5652615" "5720037" "5754773" "5774666" "5861881" "5894320" "5900905" "5929850" "5931908").PN.	USPAT	2002/08/22 20:46

			_				
_	34	("4170782"	"4264924"	"4381522"	T	USPAT	2002/08/22 20:5
		"4694490"	"4704725"	•	ļ		
		"4745549"	"4751578"	"4870579"	ļ	}	
		"4965825"	"4977455"		ļ		
ļ	,	"5003591"	"5075771"	"5109414"			
		"5151789"	"5155591"	"5223924"	İ	!	
		"5230020"	"5233654"	"5237157"	İ		
		"5245420"	"5251324"	"5351075"			
		"5353121"		•			
		"5483278"	"5534911"				
		"5559549"		"5717923"			
	_	"5758257").					0000/00/00 01 0
-	5			"5223924"	I	USPAT	2002/08/22 21:0
	107		"5444499").				0000/00/00 01 1
-	107		"D314383"	•	1	USPAT	2002/08/22 21:1
			"D331760"				
}		"4398216"	"4488179"				
1		"4587520"	"4621282"			,	
		"4688246"	"4697209"				
		"4712105"	"4712130"				
		"4792972" "4976736"	"4829558"	"4860379"			
	1	"4876736"	"4947429"	"4949187"			
		"4959810"	"4961109"	"4975951"			
		"4977455"	"4995078"	"5001554"			
		"5014125"	"5015829"	"5020129"			
		"5027400"	"5036394"	"5038402"			
		"5046093"	"5047867"	"5056138"			
		"5077607"	"5078019"	"5093718"			
		"5103314"	"5105268"	"5132789"			
		"5132992"	"5133079"	"5144663"			
		"5150118"	"5151782"	"5151789"			
		"5166886"	"5172413"	•			
		"5202817" "5237610"	"5223924" "5247347"	"5237311"			
		"5257610" "5253275"		"5253066" "520000"			
			"5260778"	"5282028" "5282028"			
	•	"5283639" "5293540"	"5285272" "5293633"	"5289271" "5310455"			
		3293340 "5319707"	"5327554"	"5319455" "5339315"			
1		3319707 "5341474"	"5343239"	"5339315" "5345594"			
†		"5341474 "5349638"	"5351075"	"5353121"			
		"5355162" I	"5357276"	"5365265" I			
		"5367571" I	"5390348"	"5396546" i			
1		"5400401" I	"5404393"	"5404505"			
		"5400401 "5410326"	"5412416"	"5414426"			
	İ	"5416508"	"5440632"				
	İ	"5446919"		"5442626" "5469206"			
		"5477263"					
		"5481296" I		"5483278" I			
		1	"5561708"				
			"5663757")				
_	23	ľ		"4759063"	1	USPAT	2002/08/23 09:5
	23	l '	•	"4947430"	•	JULAI	2002,00,23 09:3
			"5131039"		1		
		"5245656"	"5251324"				
		i '	"5321833"		ı		
			"5373558"		i		
		ľ		"5534911"			
			"5600364")				
_	55) with (user	r\$1 or	USPAT;	2002/08/23 10:4
				genre\$1 or ra		EPO; JPO;	
				\$1 or habit\$		DERWENT;	
				occupation\$1		IBM TDB	
				ory or sex))			
				i<=19980514))			
		(725/32-36,		//			
-	14			"4600921"	1	USPAT	2002/08/23 10:2
				"4866770"			1
			"4924498"				
1						1	į.
Į		"5054071" I	"5058160"	"5144664"			
			"5058160" "5260778").	•			

				
-	10	("3639686" "3947624" "4170782" "4210962" "4258386" "4331974" "4546382" "4573072" "4602279" "4603232").PN.	USPAT	2002/08/23 10:38
-	1482723	((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))	USPAT; EPO; JPO; DERWENT;	2002/08/23 10:48
-	1511	(((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/08/23 10:47
-	1016	(((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/08/23 10:51
	1001	(((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/08/23 10:52
_	293	(((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and ((((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:57
	293	((((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:56
_	293	((((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/\$.ccls. and (TV or video or television)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:56
-	293	((((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and ((((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/\$.ccls. and (TV or video or television)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 10:58

126	((((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and ((((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 11:01
125	television) ((((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @rlad<=19980514)) and ((((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/9-61.ccls. and (TV or video or	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 15:01
1	or minimum or everage or most or least)	USPAT;	2002/08/23 17:56
4	("5075771" or "5223924").pn.	DERWENT; IBM_TDB USPAT; EPO; JPO;	2002/08/23 15:55
4	("5798785" or "5381477").pn.	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/08/23 17:56
1	picco.in. and advertisement	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/28 11:27
50	725/97.ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/28 11:27
9836	tran.xa.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/28 12:06
20	tran.xa.and 725/\$.ccls. and updat\$3	USPAT; EPO; JPO; DERWENT;	2003/01/28 12:07
46	725/97.ccls.and (@ad<=19980514 or @rlad<=19980514)	USPAT; EPO; JPO; DERWENT;	2003/01/28 14:06
18255	((classifi\$4 or group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3)) and (@ad<=19980514 or	USPAT; EPO; JPO; DERWENT;	2003/01/29 13:30
901	((classifi\$4 or group\$3 or cluster\$3) same ((user\$1 or viewer\$1 or personal) with (profile\$1 or demograph\$5 or preference\$3))) and (@ad<=19980514 or	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:13
61	(((classifi\$4 or group\$3 or cluster\$3) same ((user\$1 or viewer\$1 or personal) with (profile\$1 or demograph\$5 or preference\$3))) and (@ad<=19980514 or	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:26
	125 1 4 4 1 50 9836 20 46 18255	viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex) and (@ad<=19980514 or @Flad<=19980514) and (((taste near\$ value\$1) or rate or (level\$1 near4 interest\$3)) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video)) and 725/9-61.ccls. and (TV or video or television) ((((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<=19980514 or @Flad<=19980514) and (((taste near\$ value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/\$-ccls. and (group\$3 or cluster\$3)and (TV or television)and (level\$1 or rank\$3 or max\$6 or minimum or everage or most or least) 4745549.pn. and 725/\$.ccls. 4 ("5075771" or "5223924").pn. 4 ("5798785" or "5381477").pn. 4 ("5798785" or "5381477").pn. 50 725/97.ccls. and (@ad<=19980514 or @rlad<=19980514) or @rlad<=19980514) or demograph\$5 or preference\$3)) and (@ad<=19980514 or @rlad<=19980514) or demograph\$5 or preference\$3)) and (@ad<=19980514 or @rlad<=19980514) or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3)) and (@ad<=19980514 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or preference\$3) or demograph\$5 or demograph\$5 or demograph\$5 or demograph\$5 or demograph\$5 or demograph\$5 or demograph\$5 or demogr	viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex!) and (8ad=1980514 or @rlad<=1980514) and (1(taste near5 value\$1) or rate or (level\$1 near4 interest\$3)) and 725/\$.ccls. and (group\$3 or cluster\$3) and 725/\$-61.ccls. and (TV or video or television or video)) and 725/\$-61.ccls. and (TV or video or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or cocupation\$1 or job\$1 or tast\$3 or history or sex!) and (((claste near5 value\$1) or rate or (level\$1 near4 interest\$3)) and (((teste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and 725/\$.ccls. and (group\$3 or cluster\$3) and (TV or video) and 725/\$-61.ccls. and (TV or video or television) and (level\$1 or rank\$3 or max\$6 or minimum or everage or most or least) 4 ("5075771" or "5223924").pn. 4 ("5798785" or "5381477").pn. 5 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 1 picco.in. and advertisement 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 1 picco.in. and advertisement 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 1 picco.in. and advertisement 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 9 ("5798785" or "5381477").pn. 9 ("57997.ccls. 9 ("57997.ccls. 9 ("57997.ccls. 9 ("61ed; or group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3)) and (pad<=19980514) 9 ("1ad<=19980514)